

PROCESSING COPY

55
OCB

INFORMATION REPORT INFORMATION REPORT

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

C-O-N-F-I-D-E-N-T-I-A-L

50X1-HUM

COUNTRY Poland

REPORT

SUBJECT Branch of the Institute of Electro-
technics in Miedzylesie near Warsaw

DATE DISTR. 10 APR 1958

NO. PAGES 1

REFERENCES RD

DATE OF
INFO.PLACE &
DATE ACQ.

50X1-HUM

50X1-HUM

SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONTENT IS TENTATIVE

1. A report containing fragmentary information on a branch of the Institute of Electrotechnics in Miedzylesie near Warsaw

50X1-HUM

C-O-N-F-I-D-E-N-T-I-A-L

STATE	#	X	ARMY	#	X	NAVY	X	AIR	#	X	FBI		AEC						
(Note: Washington distribution indicated by "X"; Field distribution by "#".)																			

INFORMATION REPORT INFORMATION REPORT

50X1-HUM

C-O-N-F-I-D-E-N-T-I-A-L

COUNTRY: Poland

26 February 1958

SUBJECT: Branch of the Institute of Electro-
technics in Miedzylesie near Warsaw

PAGES:

50X1-HUM

General

1. The Institute of Electrotechnics (Instytut Elektrotechniczny - IEL) was an industrial research institute which had its headquarters at 68 Piekna Street, Warsaw, and other offices and laboratories on Koszykowa Street. It also had several branches located outside Warsaw in such places as Gdansk, Wroclaw, Gliwice, and Miedzylesie. The installation at Miedzylesie, near Warsaw, known [redacted] as the Laboratory for Lighting Technics (Zaklad Techniki Swietlnej), had been constructed in about 1952; it occupied a fenced-in area of about 200 x 200 meters and had several three-storied large buildings. 50X1-HUM
2. [redacted] the office of the Laboratory for Lighting Technics which was located in Building No. 3. [redacted] about four employees in this office. [redacted] passed through a high tension laboratory which was located in Building No. 4, and where he noticed about five employees. [redacted] Dipl. Engineer Wladyslaw Morawski, a permanent employee of the Institute of Electrotechnics in Warsaw, who was visiting the installation to conduct some tests. [redacted] 50X1-HUM
50X1-HUM

C-O-N-F-I-D-E-N-T-I-A-L

C-O-N-F-I-D-E-N-T-I-A-L

-2-

LEGEND TO

THE INSTALLATION OF THE

INSTITUTE OF ELECTROTECHNICS IN MIEDZYLESIE

1. Dead-end street, leading to the installation of the Institute of Electrotechnics.
2. Guard house. This was a one-storied building, of which only a part was used as a guard room. Outside visitors had to first obtain passes and later had to be escorted by one of the guards to the specified building, office, or laboratories they wished to visit.
3. Entrance and drive-in gate.
4. Offices and laboratories. This was a three-storied building, measuring 30 x 50 meters.
5. Offices and laboratories of the Lighting Technics Laboratory. This was a three-storied building, measuring 30 x 50 meters. [redacted] there were about 30 employees. 50X1-HUM
6. High tension laboratory. This was a square building, which was about 30 x 30 meters and 15 meters high. It was shaped like a tower, with a flat roof and no windows. The interior contained no floors. However, there were insulated observation galleries located on the second and third floor levels, which were reached by a staircase. [redacted] there was the usual equipment for measuring and testing high tension current. 50X1-HUM
- 7.- 8 - 9 - 10 - 11. Buildings, housing laboratories and offices. [redacted] 50X1-HUM
12. Wire net fence about two-and-one-half meters high.

C-O-N-F-I-D-E-N-T-I-A-L


C-O-N-F-I-D-E-N-T-I-A-L

-3-

Installation of the Institute of Electrotechnics
in Miedzylesie near Warsaw

50X1-HUM

Approximate Scale 1:1500, 1cm-about 15 m.



C-O-N-F-I-D-E-N-T-I-A-L